



NEONATAL MEDICATION GUIDELINE

Chlorhexidine 1% Topical Lotion

Scope (Staff): Nursing, Medical and Pharmacy Staff

Scope (Area): KEMH NICU, PCH NICU, NETS WA

This document should be read in conjunction with the [Disclaimer](#).

Quick Links

[Dose](#)

[Preparation & Administration](#)

[Side Effects & Interactions](#)

[Monitoring](#)

Restrictions

[Formulary: Unrestricted](#)

Description

Antiseptic

Presentation

Emollient Lotion: 10mg/g (1%)

Storage

Store at room temperature, below 25°C

Dose

Reduction of transient colonisation of potentially pathogenic bacteria in infants in incubators and cots

Topical:

To be used on alternate days as per [Chlorhexidine Wash Procedure](#)

Staphylococcus aureus decolonisation (e.g. prior to high risk surgical procedure or central venous access device insertion)

Topical:

Apply ONCE a day for 5 days

Preparation

Topical

Warm the solution prior to administration.

Administration

Topical

Ensure infant is completely dry prior to application

Apply sparingly on cotton wool to the body and head including the hands, paying particular attention to the cord stump and body creases. Do NOT apply to the face.

Side Effects

Common: Allergic sensitisation, erythema, hypersensitivity reaction, rough skin

Serious: Anaphylaxis, dyspnoea, facial oedema

Monitoring

Skin reactions.

Check axilla temperature 1 hour after application.

Comments

Ensure all ECG leads are replaced after application.

For infants in incubators, place the lotion inside the incubator for warming prior to application.

For infants in cots, warm the lotion by applying to cotton wool and hold between gloved hands.

Related Policies, Procedures & Guidelines

CAHS Neonatology Clinical Guidelines:

[Chlorhexidine Wash Procedure](#)

[Skin Care Guideline](#)









CAHS ChAMP Guideline:

[Staphylococcus aureus Decolonisation - Paediatric](#)

References

Takemoto CK, Hodding JH, Kraus DM. Pediatric & neonatal dosage handbook with international trade names index : a universal resource for clinicians treating pediatric and neonatal patients. 24th ed. Hudson (Ohio): Lexicomp; 2019. P410.

Chlorhexidine 1% Topical Solution

Keywords	Chlorhexidine, antistaph, decolonisation, S. aureus, Staphylococcus aureus				
Document Owner:	Head of Department - Neonatology				
Author/ Reviewer	KEMH & PCH Pharmacy / Neonatology Directorate				
Version Info:	June 2020 – inaugural guideline. August 2020 – review of content. March 2022 - template update, included decolonisation per GEKO 39907 recommendation.				
Date First Issued:	June 2020	Last Reviewed:	March 2022	Review Date:	March 2025
Endorsed by:	Neonatal Directorate Management Group			Date:	22/03/2022
NSQHS Standards Applicable:	<input checked="" type="checkbox"/>  Std 1: Clinical Governance <input type="checkbox"/>  Std 2: Partnering with Consumers <input checked="" type="checkbox"/>  Std 3: Preventing and Controlling Healthcare Associated Infection <input checked="" type="checkbox"/>  Std 4: Medication Safety		<input type="checkbox"/>  Std 5: Comprehensive Care <input type="checkbox"/>  Std 6: Communicating for Safety <input type="checkbox"/>  Std 7: Blood Management <input type="checkbox"/>  Std 8: Recognising and Responding to Acute Deterioration		
Printed or personally saved electronic copies of this document are considered uncontrolled. Access the current version from WNHS HealthPoint.					

The health impact upon Aboriginal people has been considered, and where relevant incorporated and appropriately addressed in the development of this document (insert ISD Number). (Please refer to the Aboriginal Health Impact Statement and Declaration for Department of Health and Health Service Provider Guidelines – please delete once you have completed this).

This document can be made available in alternative formats on request for a person with a disability.

© Women and Newborn Health Service 2020

Copyright of this material is vested in the State of Western Australia unless otherwise indicated. Apart from any fair dealing for the purposes of private study, research, criticism or review, as permitted under the provisions of the Copyright Act 1968, no part may be reproduced or re-used for any purposes whatsoever without written permission of the State of Western Australia.