



ADULT MEDICATION GUIDELINE					
ALBENDAZOLE					
Scope (Staff):	All WNHS Staff				
Scope (Area):	Obstetrics and Gynaecology				
This document should be read in conjunction with the <u>Disclaimer</u> .					

Quick Links

DoseAdministrationMonitoringPregnancy and Breastfeeding

Restrictions

Formulary: Restricted

Medication Class

Anthelmintic - benzimidazole

Presentation

Tablet: 200mg

Storage

Store at room temperature, below 25°C

Dose

Threadworm, roundworm, hookworm infection:

Oral:

400mg as a single dose

For threadworm, consider repeating the dose after TWO weeks due to the frequency of reinfection

Strongyloidiasis

Oral:

400mg with fatty food, 12 hourly for 3 days.

Repeat course after 7 to 14 days.

Refer to Therapeutic Guidelines (eTG) for all other infections

Administration

Oral

Take on empty stomach for intestinal infections

Take with food for systemic infections

Monitoring

Monitor liver function and blood counts during prolonged treatment

Pregnancy

1st Trimester: Consider alternative
 2nd Trimester: Consider alternative
 3rd Trimester: Consider alternative

Breastfeeding

Considered safe to use

Comments

Related Policies, Procedures & Guidelines

HDWA Mandatory Policies:

Formulary one

WNHS Clinical Practice Guidelines:

Antimicrobial Restriction Category List

WNHS Pharmaceutical and Medicines Management Guidelines:

References

Australian Medicines Handbook. Albendazole. In: Australian Medicines Handbook [Internet]. Adelaide (South Australia): Australian Medicines Handbook; 2022 [cited 2022 Mar 16]. Available from: https://amhonline.amh.net.au/

Therapeutic Guidelines. Strongyloides. In: eTG complete [Internet]. West Melbourne (Victoria): Therapeutic Guidelines; 2022 [cited 2022 Mar 16]. Available from: https://tgldcdp-tg-org-au.kelibresources.health.wa.gov.au/etgAccess

The Royal Women's Hospital. Albendazole. In: Pregnancy and Breastfeeding Medicines Guide [Internet]. Parkville (Victoria): The Royal Women's Hospital; 2022 [cited 2022 Mar 16]. Available from: https://thewomenspbmg.org.au/

Keywords	Albendazole, threadworm, roundworm, hookworm, parasite, strongyloidiasis, stongyloides, worms							
Record Number:	D/22/21281							
Document Owner:	Chief Pharmacist							
Author/ Reviewer	KEMH Pharmacy Department							
Version Info:	4.0							
Date First Issued:	March 2017	Last Reviewed:	March 2022		Review Date:	March 2025		
Endorsed by:	Medicines and T	herapeutics Comm		Date:	13/04/2022			
NSQHS Standards Applicable:	Std 1: Cl	inical Governance	Std 5: Comprehensive Care					
	Std 2: Partnering with Consumers			Std 6: Communicating for Safety				
	Std 3: Preventing and Controlling Healthcare Associated Infection			Std 7: Blood Management				
	Std 4: Medication Safety			Std 8: Recognising and Responding to Acute Deterioration				
Printed or personally saved electronic copies of this document are considered uncontrolled. Access the current version from WNHS HealthPoint.								

The health impact upon Aboriginal people has been considered, and where relevant incorporated and appropriately addressed in the development of this document (insert ISD Number). (Please refer to the Aboriginal Health Impact Statement and Declaration for Department of Health and Health Service Provider Guidelines – please delete once you have completed this).

This document can be made available in alternative formats on request for a person with a disability.

© Women and Newborn Health Service 2022

Copyright of this material is vested in the State of Western Australia unless otherwise indicated. Apart from any fair dealing for the purposes of private study, research, criticism or review, as permitted under

the provisions of the Copyright Act 1968, no part may be reproduced or re-used for any purposes whatsoever without written permission of the State of Western Australia.