



ADULT MEDICATION GUIDELINE

Calcium Folinate (Folinic Acid)

Do not confuse with folic acid

Scope (Staff): All WNHS Staff

Scope (Area): Obstetrics and Gynaecology

This document should be read in conjunction with the Disclaimer.

Quick Links

DoseAdministrationMonitoringPregnancy and Breastfeeding

Restrictions

Formulary: Unrestricted

Medication Class

Other drugs used with antineoplastics

Presentation

Tablet: 15 mg

Storage

Store at room temperature, below 25°C

Dose

Gestational Trophoblastic Disease

Oral:

Methotrexate 50 mg IM at noon on days 1,3,5,7 PLUS Oral Rescue treatment of Calcium Folinate (Folinic Acid) 15 mg orally at 6pm on days 2,4,6,8

Methotrexate Rescue

Oral:

Refer to local treatment protocols

Administration

Oral:

Take with or without food

Pregnancy

1st Trimester: Safe to use
2nd Trimester: Safe to use
3rd Trimester: Safe to use

Breastfeeding

Safe to use

Related Policies, Procedures & Guidelines

KEMH Clinical Guideline: O&G: <u>Pregnancy Care: First Trimester Complications</u>

References

The Royal Women's Hospital. Calcium Folinate In: Pregnancy and Breastfeeding Medicines Guide [Internet]. Parkville (Victoria): The Royal Women's Hospital; 2022 [cited 2022 Mar 08]. Available from: https://thewomenspbmg.org.au/

Australian Medicines Handbook. Calcium Folinate. In: Australian Medicines Handbook [Internet]. Adelaide (South Australia): Australian Medicines Handbook; 2022 [cited 2022 Mar 08]. Available from: https://amhonline.amh.net.au/

eviQ. Gestational trophoblastic disease low risk methotrexate In: eviQ [Internet]. St Leonard's (New South Wales): Cancer Institute NSW; 2017 [cited 2022 Mar 08]. Available from: https://www.eviq.org.au/medical-oncology/gynaecological/gestational-trophoblastic-disease-low-risk-met

MIMS Australia. DBL Leucovorin Calcium Injection and Tablets. In: MIMS Online [Internet]. St Leonards (New South Wales): MIMS Australia; 2020 [cited 2022 Mar 08]. Available from: https://www.mimsonline.com.au

Keywords	Calcium Folinate, Gestational Trophoblast Disease, GTD, folinic acid, methotrexate rescue					
Document Owner:	Chief Pharmacist					
Author/ Reviewer	KEMH Pharmacy Department					
Version Info:	5.0					
Date First Issued:	05/2015	Last Reviewed:	April 2022		Review Date:	April 2025
Endorsed by:	Medicines and Therapeutics Committee				Date:	04/05/2022
NSQHS Standards Applicable:	Std 1: Clinical Governance			Std 5: Comprehensive Care		
	Std 2: Partnering with Consumers			Std 6: Communicating for Safety		
	Std 3: Preventing and Controlling Healthcare Associated Infection			Std 7: Blood Management		
	Std 4: Medication Safety			Std 8: Recognising and Responding to Acute Deterioration		
Printed or personally saved electronic copies of this document are considered uncontrolled.						
Access the current version from WNHS HealthPoint.						

The health impact upon Aboriginal people has been considered, and where relevant incorporated and appropriately addressed in the development of this document (insert ISD Number). (Please refer to the Aboriginal Health Impact Statement and Declaration for Department of Health and Health Service Provider Guidelines – please delete once you have completed this).

This document can be made available in alternative formats on request for a person with a disability.

© Women and Newborn Health Service 2022

Copyright of this material is vested in the State of Western Australia unless otherwise indicated. Apart from any fair dealing for the purposes of private study, research, criticism or review, as permitted under the provisions of the Copyright Act 1968, no part may be reproduced or re-used for any purposes whatsoever without written permission of the State of Western Australia.