



ADULT MEDICATION GUIDELINE						
Carbetocin						
Scope (Staff):	All WNHS Staff					
Scope (Area):	Obstetrics and Gynaecology					
This document should be read in conjunction with the Disclaimer.						

**Quick Links** 

DoseAdministrationMonitoringPregnancy and Breastfeeding

Restrictions

**Formulary: Restricted** 

**Medication Class** 

Oxytocin analogue

### **Presentation**

Form: 100microg/1mL vial

# Storage

Store at room temperature, below 30°C

#### Dose

### Prevention of uterine atony and postpartum haemorrhage following caesarean section

### IV:

100 micrograms as a single dose following delivery of the infant(s)

May be administered before or after delivery of the placenta.

In patients who do not respond to a single dose of carbetocin, further bolus dosing is not recommended and alternative uterotonic agents should be utilised.

## **Administration**

IV- Inject undiluted solution slowly over 1 minute

# **Monitoring**

## **Pregnancy**

1<sup>st</sup> Trimester: Contraindicated
2<sup>nd</sup> Trimester: Contraindicated
3<sup>rd</sup> Trimester: Contraindicated

## **Breastfeeding**

Considered safe to use

## Related Policies, Procedures & Guidelines

Obstetrics and Gynaecology Clinical Practice Guideline: Caesarean Birth

### References

Australian Medicines Handbook. Carbetocin. In: Australian Medicines Handbook [Internet]. Adelaide (South Australia): Australian Medicines Handbook; 2022 [cited 2022 Apr 11]. Available from: https://amhonline.amh.net.au/

The Royal Women's Hospital. Carbetocin. In: Pregnancy and Breastfeeding Medicines Guide [Internet]. Parkville (Victoria): The Royal Women's Hospital; 2016 [cited 2022 Apr 11]. Available from: https://thewomenspbmg.org.au/

MIMS Australia. Duratocin. In: MIMS Online [Internet]. St Leonards (New South Wales): MIMS Australia; 2022 [cited 2022 Apr 11]. Available from: https://www-mimsonline-com-au.kelibresources.health.wa.gov.au

Keywords	Carbetocin							
Document Owner:	Chief Pharmacist							
Author/ Reviewer	KEMH Pharmacy Department							
Version Info:	4.0							
Date First Issued:	Dec 2014	Last Reviewed:	April 2022		Review Date:	April 2025		
Endorsed by:	Medicines and T	herapeutics Comm	Date:	04/05/2022				
NSQHS Standards Applicable:	Std 1: Clinical Governance			Std 5: Comprehensive Care				
	Std 2: Partnering with Consumers				Std 6: Communicating for Safety			
	Std 3: Preventing and Controlling Healthcare Associated Infection				Std 7: Blood Management			
	Std 4: Medication Safety			Std 8: Recognising and Responding to Acute Deterioration				
Printed or personally saved electronic copies of this document are considered uncontrolled.								
Access the current version from WNHS HealthPoint.								

The health impact upon Aboriginal people has been considered, and where relevant incorporated and appropriately addressed in the development of this document (insert ISD Number). (Please refer to the Aboriginal Health Impact Statement and Declaration for Department of Health and Health Service Provider Guidelines – please delete once you have completed this).

This document can be made available in alternative formats on request for a person with a disability.

#### © Women and Newborn Health Service 2022

Copyright of this material is vested in the State of Western Australia unless otherwise indicated. Apart from any fair dealing for the purposes of private study, research, criticism or review, as permitted under the provisions of the Copyright Act 1968, no part may be reproduced or re-used for any purposes whatsoever without written permission of the State of Western Australia.