

Government of Western Australia North Metropolitan Health Service Women and Newborn Health Service



# ADULT MEDICATION GUIDELINE

# Dinoprostone

Scope (Staff): All WNHS Staff

**Scope (Area):** Obstetrics and Gynaecology

This document should be read in conjunction with the **Disclaimer**.

# Quick LinksDoseAdministrationMonitoringPregnancy and<br/>BreastfeedingRestrictionsFormulary: UnrestrictedMedication Class

Prostaglandin

## Presentation

Vaginal Gel: 1mg/3g

Vaginal Gel: 2mg/3g

Vaginal Pessary: 10mg (delivers 0.3mg/hour)

### Storage

Vaginal Gel: Store at 2-8°C

Vaginal Pessary: Store in freezer below -18°C

### Dose

### Induction of labour

### Vaginal Gel:

1-2 mg of vaginal gel as a single dose. Repeat after 6 hours if required.

Maximum dose of 3mg over 6 hour period.

### Vaginal Pessary:

One pessary as a single dose. A second dose is not recommended

### Administration

### Vaginal Gel

Remove from fridge at least 30 minutes prior to use and allow to warm to room temperature. Insert gel high into the posterior fornix of the vagina, avoiding administration into the cervical canal. Patient should be recumbent for at least 30 minutes after insertion.

### Vaginal Pessary

Remove from freezer <u>immediately</u> prior to insertion. There is no need for thawing prior to use. Remove pessary from foil packaging and insert pessary high into the posterior fornix of the vagina using a small amount of water-soluble lubricant to aid insertion. Always ensure there is sufficient tape outside the vagina to allow removal. Patient should be recumbent for 30 minutes after insertion.

### Monitoring

Monitor uterine activity, fetal heart rate regularly after administration

### Pregnancy

1<sup>st</sup> Trimester: Contraindicated

2<sup>nd</sup> Trimester: Contraindicated

3<sup>rd</sup> Trimester: Contraindicated

### Breastfeeding

Considered safe to use

### **Related Policies, Procedures & Guidelines**

**KEMH Clinical Guideline:** O&G: Induction of Labour (intranet access only)

### References

Australian Medicines Handbook. Dinoprostone. In: Australian Medicines Handbook [Internet]. Adelaide (South Australia): Australian Medicines Handbook; 2021 [cited 2022 April 7]. Available from: https://amhonline.amh.net.au/

MIMS Australia. Dinoprostone (Cervidil Pessary®). In: MIMS Online [Internet]. St Leonards (New South Wales): MIMS Australia; 2021 [cited 2022 April 21]. Available from: https://www.mimsonline.com.au

MIMS Australia. Dinoprostone (Prostin E2 Vaginal Gel). In: MIMS Online [Internet]. St Leonards (New South Wales): MIMS Australia; 2021 [cited 2022 April 21]. Available from: https://www.mimsonline.com.au

The Royal Women's Hospital. Dinoprostone. In: Pregnancy and Breastfeeding Medicines Guide [Internet]. Parkville (Victoria): The Royal Women's Hospital; 2021 [cited 2022 April 21]. Available from: https://thewomenspbmg.org.au/

Keywords	Dinoprostone, Cervidil, induction of labour, prostaglandin, prostaglandin E2, Prostin E2, vaginal gel					
Document Owner:	Chief Pharmacist					
Author/ Reviewer	KEMH Pharmacy Department					
Version Info:	4.0					
Date First Issued:	31/07/2015	Last Reviewed:	28/04/2022		Review Date:	28/04/2025
Endorsed by:	Medicines and Therapeutics Committee				Date:	02/08/2022
NSQHS Standards Applicable:	🔀 🔮 Std 1: Cl	inical Governance	Std 4: Medication Safety			
Printed or personally saved electronic copies of this document are considered uncontrolled. Access the current version from WNHS HealthPoint.						

The health impact upon Aboriginal people has been considered, and where relevant incorporated and appropriately addressed in the development of this document (insert ISD Number). (Please refer to the Aboriginal Health Impact Statement and Declaration for Department of Health and Health Service Provider Guidelines – please delete once you have completed this).

This document can be made available in alternative formats on request for a person with a disability.

© Women and Newborn Health Service 2022

Copyright of this material is vested in the State of Western Australia unless otherwise indicated. Apart from any fair dealing for the purposes of private study, research, criticism or review, as permitted under the provisions of the Copyright Act 1968, no part may be reproduced or re-used for any purposes whatsoever without written permission of the State of Western Australia.