

## ADULT Medication Monograph

## IMIQUIMOD

This document should be read in conjunction with this **DISCLAIMER** 

Class	Dermatological genital wart remover		
Presentation	Cream sachet: 5% (50mg/g)		
Storage	Store at room temperature, below 25°C		
Dose	Genital warts (human papillomavirus infection)		
	Topical:		
	3 nights per week (eg Monday, Wednesday, Friday).		
	Continue until there is total clearance of warts or for a maximum period of 16 weeks.		
Administration	Patient to self-apply before bedtime. Before applying, wash affected area with mild soap and water and allow drying. Wash off with mild soap and water about 6-10 hours after application. Wash hands before and after use; avoid bathing/showering after application.		
Pregnancy	1 <sup>st</sup> Trimester: Consider alternative		
	2 <sup>nd</sup> Trimester: Consider alternative		
	3 <sup>rd</sup> Trimester: Consider alternative		
Breastfeeding	Considered safe to use		
Monitoring			
Clinical Guidelines and Policies	HDWA Policies:		
	WA Statewide Medicines Formulary		
	WNHS Policies:		
	Antimicrobial Stewardship		
	KEMH Clinical Guidelines:		
	Sexually Transmitted Infections (STI)		
	KEMH Pharmaceutical & Medicines Management Guidelines:		
	Medication Administration		

References	Australian Medicines Handbook. Imiquimod. In: Australian Medicines Handbook [Internet]. Adelaide (South Australia): Australian Medicines Handbook; 2020 [cited 2020 Dec 07]. Available from: https://amhonline.amh.net.au/
	The Royal Women's Hospital. Imiquimod. In: Pregnancy and Breastfeeding Medicines Guide [Internet]. Parkville (Victoria): The Royal Women's Hospital; 2020 [cited 2020 Dec 07]. Available from: <u>https://thewomenspbmg.org.au/</u>
	Sexual Health and Blood-borne Virus Program. Genital warts HPV Silver book - guidelines for managing sexually transmitted infections and blood- borne viruses [Internet]. Perth (WA): Government of Western Australia Department of Health; 2020 [updated 2020 Dec 07; cited 2020 Dec 07]. Available from: <u>https://ww2.health.wa.gov.au/Silver-book/Non-notifiable- infections/Genital-warts-HPV</u>

Keywords:	Imiquimod, Aldara, Genital warts, Sexually transmitted infection, HPV				
Publishing:	Intranet Internet				
Document owner:	Chief Pharmacist				
Author / Reviewer:	Pharmacy Department				
Date first issued:	July 2015	Version:	4.0		
Last reviewed:	September 2017, December 2020 Next review date: Dec		Dec 2023		
Endorsed by:	Medicines and Therapeutics Committee	Date:	Dec 2020		
Standards Applicable:	NSQHS Standards: 1 Overnance, 3 Plantection Control, 4 Medication Safety				
Printed or personally saved electronic copies of this document are considered uncontrolled.					
Access the current version from the WNHS website.					
For any enquiries relating to this guideline, please email KEMH.PharmacyAdmin@health.wa.gov.au					

© Department of Health Western Australia 2020