

ADULT Medication Monograph

METHENAMINE HIPPURATE (HEXAMINE HIPPURATE)

This document should be read in conjunction with this **DISCLAIMER**

Antimicrobial Restriction – Unrestricted

Class	Urinary antiseptic			
Presentation	Tablet: 1g			
Storage	Store at room temperature, below 25°C			
Dose	Prophylaxis of chronic/recurrent lower urinary tract infections			
	Oral:			
	1g every 12 hours			
Administration	<u>Oral</u>			
	Can be taken with or without food			
	Avoid taking medications like sodium bicarbonate, Ural® or Citravescent® as they make methenamine less effective.meth			
Pregnancy	1 st Trimester: Safe to use 2 nd Trimester: Safe to use			
	3 rd Trimester: Safe to use			
Breastfeeding	Considered safe to use			
Clinical Guidelines	HDWA Policies:			
and Policies	WA Adult Medicines Formulary			
WNHS Policies:				
	Antimicrobial Stewardship			
KEMH Pharmaceutical & Medicines Management Guide				
	Medication Administration			

References	Australian Medicines Handbook. Methenamine Hippurate. In: Australian Medicines Handbook [Internet]. Adelaide (South Australia): Australian Medicines Handbook; 2020 [cited 2020 Dec 07]. Available from: https://amhonline.amh.net.au/	
	The Royal Women's Hospital. Methenamine hippurate. In: Pregnancy and Breastfeeding Medicines Guide [Internet]. Parkville (Victoria): The Royal Women's Hospital; 2020[cited 2020 Dec 07]. Available from: https://thewomenspbmg.org.au/	

Keywords:	Methenamine hippurate, hexamine hippurate, hiprex, urinary tract infection				
Publishing:					
Document owner:	Chief Pharmacist				
Author / Reviewer:	KEMH Pharmacy Department				
Date first issued:	Jan 2015	Version:	4.0		
Last reviewed:	Jan 2018, Dec 2020	Next review date:	Dec 2023		
Endorsed by:	Medicines and Therapeutics Committee	Date:	Dec 2020		
Standards Applicable:	NSQHS Standards: 1 Governance, 3 Infection Control, 4 Medication Safety				

Printed or personally saved electronic copies of this document are considered uncontrolled.

Access the current version from the WNHS website.

For any enquiries relating to this guideline, please email **KEMH.PharmacyAdmin@health.wa.gov.au**

© Department of Health Western Australia 2020