

## ADULT Medication Monograph

## **METHYLDOPA**

This document should be read in conjunction with this **DISCLAIMER** 

## **Formulary: Unrestricted**

Class	Antihypertensive		
Presentation	Tablet: 250mg		
Storage	Store at room temperature, below 30°C		
Dose	Hypertension Oral: Initially, 125–250 mg twice daily for 2 days, then adjust by 250–500 mg daily at 2-day intervals Maintenance, 125–500 mg 2–4 times daily		
Administration	Oral Take with or without food		
Pregnancy	1 <sup>st</sup> Trimester: Safe to use  2 <sup>nd</sup> Trimester: Safe to use  3 <sup>rd</sup> Trimester: Safe to use		
Breastfeeding	Safe to use		
Monitoring	Blood pressure, full blood count and liver function tests during first 6–12 weeks of treatment.		
Clinical Guidelines and Policies	KEMH Clinical Guidelines:  Hypertension in Pregnancy: Medical Management  Hypertension in Pregnancy: Midwifery Care		
References	Australian Medicines Handbook. Methyldopa. In: Australian Medicines Handbook [Internet]. Adelaide (South Australia): Australian Medicines Handbook; 2019 [cited 2020 Apr 21]. Available from: https://amhonline.amh.net.au/  The Royal Women's Hospital. Methyldopa. In: Pregnancy and Breastfeeding Medicines Guide [Internet]. Parkville (Victoria): The Royal Women's Hospital; 2017 [cited 2020 Apr 21]. Available from:		

https://thewomenspbmg.org.au/
MIMS Australia. Methyldopa. In: MIMS Online [Internet]. North Sydney (New South Wales): MIMS Online; 2019 [cited 2020 Apr 21]. Available from: https://www.mimsonline.com.au/

Keywords:	Methyldopa, Aldomet, Hydopa, Hypertension, Pre-eclampsia, Antihypertensive				
Publishing:					
Document owner:	Chief Pharmacist				
Author / Reviewer:	KEMH Pharmacy Department				
Date first issued:	Dec 2014	Version:	4.0		
Last reviewed:	April 2020	Next review date:	Apr 2023		
Endorsed by:	Medicines and Therapeutics Committee	Date:			
Standards Applicable:	NSQHS Standards: 1 Governance, 4 Medication Safety				

Printed or personally saved electronic copies of this document are considered uncontrolled.

Access the current version from the WNHS website.

For any enquiries relating to this guideline, please email <a href="mailto:KEMH.PharmacyAdmin@health.wa.gov.au">KEMH.PharmacyAdmin@health.wa.gov.au</a>

© Department of Health Western Australia 2020