



ADULT MEDICATION GUIDELINE						
OSELTAMIVIR						
Scope (Staff):	All WNHS Staff					
Scope (Area):	Obstetrics and Gynaecology					
This document should be read in conjunction with the Disclaimer.						

Q	uic	k L	_inl	KS

<u>Dose</u> <u>Administration</u> <u>Monitoring</u> <u>Pregnancy and</u> <u>Breastfeeding</u>

## **Restrictions**

**Formulary: Restricted** 

# **Medication Class**

Antiviral - neuraminidase inhibitor

### **Presentation**

Capsule: 75mg

### **Storage**

Store at room temperature, below 25°C

### Dose

### <u>Influenza</u>

Oral:

75mg, 12 hourly for 5 days

## Post exposure prophylaxis (PEP)

### Oral:

75mg, once daily for 10 days. Begin treatment within 2 days of exposure (close contact with an infected person).

### **Administration**

### **Oral**

Take with food to reduce nausea and vomiting if necessary

Contents of capsule may be mixed in soft food, e.g. honey, yoghurt

# **Monitoring**

Nausea, vomiting, headache

Reduce dose if CrCl <60 mL/minute

## **Pregnancy**

1<sup>st</sup> Trimester: Considered safe to use
2<sup>nd</sup> Trimester: Considered safe to use
3<sup>rd</sup> Trimester: Considered safe to use

## **Breastfeeding**

Considered safe to use

#### Comments

*Treatment*: this medicine is intended to shorten the time you have symptoms, such as fever, headache, sore muscles, cough and sore throat.

Prevention: you may get flu even if you are taking this medicine.

## Related Policies, Procedures & Guidelines

### **WNHS Clinical Practice Guidelines:**

Antimicrobial Stewardship (AMS) policy

Influenza-like illness

**Endorsed Midwives Prescribing** 

#### References

Australian Medicines Handbook. Oseltamivir. In: Australian Medicines Handbook [Internet]. Adelaide (South Australia): Australian Medicines Handbook; 2021 [cited 2021 Aug 10] Available from: https://amhonline.amh.net.au/

Therapeutic Guidelines. Treatment of influenza for individual benefit. In: eTG complete [Internet].

West Melbourne (Victoria): Therapeutic Guidelines; 2021 [cited 2021 Aug 10] Available from: https://tgldcdp.tg.org.au

The Royal Women's Hospital. Oseltamivir. In: Pregnancy and Breastfeeding Medicines Guide [Internet]. Parkville (Victoria): The Royal Women's Hospital; 2021 [cited 2021 Aug 10]. Available from: https://thewomenspbmg.org.au/

Keywords	oseltamivir, influenza, flu, respiratory viral infection, Tamiflu, neuraminidase inhibitor							
Document Owner:	Chief Pharmacist							
Author/ Reviewer	KEMH Pharmacy Department							
Version Info:	4.0							
Date First Issued:	31/07/2015	Last Reviewed:	31/07/2018 10/08/2021		Review Date:	31/08/2024		
Endorsed by:	Medicines and Therapeutics Committee				Date:	16/09/2021		
NSQHS Standards Applicable:	Std 1: Clinical Governance			Std 5: Comprehensive Care				
	Std 2: Partnering with Consumers			Std 6: Communicating for Safety				
	Std 3: Preventing and Controlling Healthcare Associated Infection			Std 7: Blood Management				
	Std 4: Medication Safety			Std 8: Recognising and Responding to Acute Deterioration				
Printed or personally saved electronic copies of this document are considered uncontrolled.								
Access the current version from WNHS HealthPoint.								

The health impact upon Aboriginal people has been considered, and where relevant incorporated and appropriately addressed in the development of this document (insert ISD Number). (Please refer to the Aboriginal Health Impact Statement and Declaration for Department of Health and Health Service Provider Guidelines – please delete once you have completed this).

This document can be made available in alternative formats on request for a person with a disability.

© Women and Newborn Health Service 2021

Copyright of this material is vested in the State of Western Australia unless otherwise indicated. Apart from any fair dealing for the purposes of private study, research, criticism or review, as permitted under the provisions of the Copyright Act 1968, no part may be reproduced or re-used for any purposes whatsoever without written permission of the State of Western Australia.